


# G&P MACHINERY BROCHURE

BROCHURE

- **Pressure Grinders**
- **Polishing Lathes**
- **Stroke Sanders**
- **Swing Grinders**
- **Cylindrical Polishers**
- **Grinding Lathes**
- **Custom Designs**



## **Light Pole Polisher**

Polishes light poles up to 40 FT. Long  
with (3) 15 HP grinders Using 6" x 132" Belts

**Manufacturer of Grinding and Polishing Machinery-Designer and  
Builder of Special Machinery for Specific Grinding Applications**



**GRINDING & POLISHING MACHINERY CORPORATION**

2801 TOBEY DRIVE / INDIANAPOLIS, IN 46219


PHONE (317) 898-0750 • FAX (317) 899-1627

# G&P MACHINERY BROCHURE

## BROCHURE

### Wolfhead



Brush backed sanding head is perfect for sanding and polishing flat, contour and irregular shapes.



32 brush Wolfhead is mounted on a UA polishing lathe sanding moldings as they exit a molder.


### Variable and Single Speed Polishing Lathes

Shown with optional belt attachments and tool rest. 5 to 20 H.P.




### Belt Adaptor

Converts spindle stands to abrasive belt grinders.



### EPN

2 H.P. – 1200 or 1800 RPM.  
Shown with pneumatic drum and Wolfhead.



### PW

2, 3 or 5 H.P. 1200 or 1800 RPM. Shown without guards.

### Spindle Stands




**GRINDING & POLISHING MACHINERY CORPORATION**

2801 TOBEY DRIVE / INDIANAPOLIS, IN 46219

PHONE (317) 898-0750 • FAX (317) 899-1627


# G&P MACHINERY BROCHURE

BROCHURE



## Platen Grinders Vertical or Horizontal

Wet or dry, available in 2 to 15 H.P.




## Pedestal Grinders

For off-hand grinding 2 to 7.5 H.P.



## Lathe Mounted Polishers

Converts lathe into O.D. polisher. 2 to 7.5 H.P.



## Cylindrical Polishers

Polishes straight or tapered shafts and cylinders from .5" to 3.5" diameters.



**GRINDING & POLISHING MACHINERY CORPORATION**


2801 TOBEY DRIVE / INDIANAPOLIS, IN 46219

PHONE (317) 898-0750 • FAX (317) 899-1627

# G&P MACHINERY BROCHURE

BROCHURE

## STANDARD PRODUCTS




### Swing Frame Grinders

Abrasive belt and hard wheel 2 to 25 H.P.




### Stroke Sanders

Table sizes are 4, 6 and 8 feet long.  
Options and accessories available.



### Backstand Idlers

Spring and air tension.



### Lathe Mounted Roll Grinders

A variety of contact wheels are available making this grinder ideal for both roughing and finishing. Precision bearings and tapered spindle assure holding close tolerances and uniform finish.




**GRINDING & POLISHING MACHINERY CORPORATION**

2801 TOBEY DRIVE / INDIANAPOLIS, IN 46219

PHONE (317) 898-0750 • FAX (317) 899-1627


# G&P MACHINERY BROCHURE

## BROCHURE CUSTOM BUILT MACHINES




### Power Grind

High pressure grinders. Reciprocating & rise and fall tables. 25 to 75 H.P. Single or dual motor. Single or multiple pass grinding.




### Cylinder Grinder

Abrasive belt grinding of ice cream beater blades to  $\pm .002$ " tolerance.



Brushing turbine blades with nylon brushes.

### Rotary indexing Machines



**GRINDING & POLISHING MACHINERY CORPORATION**



2801 TOBEY DRIVE / INDIANAPOLIS, IN 46219

PHONE (317) 898-0750 • FAX (317) 899-1627


# G&P MACHINERY BROCHURE

BROCHURE  
MODIFIED STANDARDS


**Right Angle I.D. Grinder**



**Reciprocating Grinder**  
Semi-automatic and programmable.



**Grind Assist Tables**  
Pneumatic and hydraulic.



**PLATEN GRINDER**  
Manual & self-propelled.



**GRINDING & POLISHING MACHINERY CORPORATION**  
2801 TOBEY DRIVE / INDIANAPOLIS, IN 46219  
PHONE (317) 898-0750 • FAX (317) 899-1627